
Data Sheet


DTK-2451/ DTH-2452 24-inch Pen Display

W∂COM[®] for Business



DTK-2451/DTH-2452

Preminm display for handling electronic document



Product Overview

Featuring 24-inch, full HD displays, the DTK-2451 and DTH-2452 are Wacom's largest pen displays for businesses and educational institutions. The generous active area provides a comfortable work surface for writing and signing digital documents or annotating directly on presentations. Industry-leading digital pen performance allows users to add drawings, sketches and diagrams to presentations or lesson plans to elaborate on key concepts and spontaneously integrate new ideas into the discussion.

And with 2,048 levels of pen pressure, users can enjoy precise drawing, writing, and annotating, plus enhanced biometric signature capture. The DTH-2452's multi-touch screen also supports touch gestures and navigation.

Key Features & Benefits

- Optimal user comfort with the large 23.8" color LCD panel that offers a generous working area and a wide viewing angle
- Biometrically-accurate input precision with 2048 levels of digital pen pressure for precise drawing, writing, and annotating, plus enhanced biometric signature capture
- Flexible display options with support for both analog and digital connections with DVI-I passthrough connections and HDCP compliance

- (DTH-2452 only)

• Versatile usage in any working environment with a flexible stand, allowing the device to be used at multiple angles, and built-in standard VESA mounts to allow the use of 3rd-party stands

 Intuitive navigation with support for common gestures through multi-touch functionality

• **Ease of use** is enhanced with 4 user-assignable ExpressKeys to access common functions or tools, plus an integrated USB port to provide easy access to users' favorite USB devices

General Specifications

Dimensions (W x H x D, excluding stand)	23.7 x 14.0 x 1.8 inches / 601 x 356 x 46 mm
Weight (including stand)	15.9 lbs / 7.2 kg (without stand)
Stand inclination	11° - 73° adjustable stand
Power supply	AC 100 ~ 240V, 50/60 Hz
Power consumption	40 W or lower, Power Save mode: 0.5 W or lower, Power OFF mode: 0.5 W or lower
Communication interface	USB 2.0
U Programmable buttons	4
Supported operating systems	Windows 10 / 8.1 / 7 (32-bit, 64-bit) Mac OSX 10.11 or later

LCD Screen

	LCD Panel Type	VA
•	Touch Input	DTK-2451: No / DTH-2452: Yes
	Cover glass surface	Tempered AG etched glass
	Aspect ratio	16:9
***	Native resolution	1920 x 1080 pixels
•••	Video input	DVI-I
\triangleleft	Viewing angles (horizontal/vertical)	178° / 178°
$\langle \rangle_{0}$	Colours	16.7M colors
-`0́-	Luminance (brightness)	0.13 cd/in² / 210 cd/m² (typical)
	Contrast ratio	1000:1 (typical)
Ţ	Response time	16 ms (typical)

Tablet and Pen

	Technology	Electi
\longleftrightarrow	Screen dimensions	23.8"
	Coordinate resolution	2540
\$	Coordinate accuracy	±0.02
	Report rate	187 p
	Pressure levels	2048
A	Encryption	AES 2
	Reading height	0.4 in

Miscellaneous

₿	Pen storage	Pen ho
	Security lock slot	Yes, K
•••	Mounting system	VESA
٩	Signature software compatability	Comp Waco availa
ڻ [®]	Drivers	Waco SDK/A
Ô	Package content	DTK-2 pen w warra Cable

Energy efficiency class and information for COMMISSION REGULATION (EU) 2019/2013



Wacom[®] for Business

tromagenetic Resonance (EMR)

' diagonal (20,7 x 11.75 inches / 527 x 296 mm)

) lpi

2 inches / ±0.5 mm (center)

points per second

256 / RSA 2048

nches / 10 mm or more (center)

nolder

Kensington

3.93 x 7.87 inches / 100 x 200 mm

patible with signature / eSign software and om sign pro PDF; C++, .NET and Java SDK/API able for developers

om driver required" API available for developers

2451 or DTH-2452, adjustable display stand, with eraser, pen holder, attachment, pen tether, anty card, QSG, IPI, DVI-D cable, DVI-I to VGA e, USB cable, AC adapter, power cable

More human



Japan (HQ) For more information please contact: Wacom Co., Ltd. · Sumitomo Fudosan Shinjuku Grand Tower 31F, 35F, 8-17-1 Nishi-Shinjuku, Shinjuku-ku, Tokyo 160-6131, Japan vm-info@wacom.co.jp · 03-5337-6706



Americas

For more information please contact / Pour de plus amples informations, veuillez contacter / Para obtener información adicional, póngase en contacto con: Wacom Technology Corporation · 1455 NW Irving Street, Suite 800 | Portland, OR 97209 USA esign@wacom.com · 1-503-525-3100



Europe, Middle East and Africa

For more information please contact / Pour de plus amples informations, veuillez contacter / Para obtener información adicional, póngase en contacto con: Wacom Europe GmbH · Zollhof 11-15, 40221 Düsseldorf, Germany solutions@wacom.eu · +49 211 385 48 0



China

For more information please contact:

Wacom China Corporation · 518, West Wing Office, China World Trade Center, No. 1 Jianguomenwai Avenue, Chaoyang District, Beijing 100004, China e-signature@wacom.com · 400-810-5460

More digital

Hong Kong

For more information please contact: Wacom Hong Kong Ltd. · Unit 1610, 16/F, Exchange Tower, 33 Wang Chiu Road Kowloon Bay, Hong Kong

e-signature@wacom.com · +852 2573 9322



Australia

Wacom

For more information please contact: Wacom Australia Pty. Ltd. · Ground floor, Building 1, 3 Richardson Place, North Ryde, NSW, 2113, Australia Contactapbs@Wacom.com · +61 2 9422 6730

Korea

For more information please contact: Wacom Korea Co., Ltd. · Rm #1211, 12F, KGIT Sangam Center, 402 Worldcup Bukro, Mapo-gu, Seoul 03925, Korea Contactapbs@Wacom.com · 080-800-1231

Singapore

For more information please contact: Wacom Singapore Pte. Ltd. · 5 Temasek Boulevard, #12-09, Suntec Tower Five, Singapore 038985, Contactapbs@Wacom.com · (503) 525-3100

India

For more information please contact: Wacom India Pvt. Ltd. · 426, Tower B, DLF Building Jasola District Centre, Mathura Road, New Delhi 110025 India, Contactapbs@Wacom.com Customer Support: 000-800-100-4159, +91-11-47239412

wacom.com/for-business © 2021 Wacom Co., Ltd.