Data Sheet

DTU-1141B 10.1-inch Pen Display



Wacom® for Business

DTU-1141B

The leading eDocument and eSignature solution



The DTU-1141B provides an ideal document viewing and signing experience with its 10.1-inch, full HD resolution screen, minimal footprint and thin profile. It operates as an external monitor, but utilizes Wacom's patented pen technology to provide input for writing and signing. It is perfect for business applications that benefit from people working directly on screen with a pen, such as presenting forms for customers to review sign electronically, or mark up and annotate documents. While not in use for signing, it can display slideshows or advertising videos.



Key Features:

- 10.1" LCD boasts full color, full HD resolution (1920x1080) and wide viewing angle.
- Patented, cordless, battery-free pen with 1024 levels of pressure sensitivity for premium signing/writing experience.
- Single USB cable installation. USB cable supplies video, power and USB data.
- State-of-the-art encryption to ensure secure transactions.
- 4 capacitive-touch ExpressKeys can be assigned to common functions.

- Hardened, anti-glare surface provides high durability and easier viewing in different lighting conditions.
- Unique hardware ID (UID) to identify the exact unit used for any transaction.
- Kensington® Security Slot to secure the unit when needed.
- Standard VESA mounts allow you to use third-party arms and stands.

General Specifications

	Dimensions (W x H x D, excluding stand)	11.1 x 8.3 x 0.4 inches (283 x 210 x 11 mm)
	Weight (including stand)	1.8 lbs (800 grams)
\nearrow	Stand inclination	15°
5	Power supply	USB bus power, no AC power required
$\sqrt{3}$	Power consumption	5W maximum, 1W in sleep mode
$\stackrel{\longrightarrow}{\leftarrow}$	Communication	Interface USB 2.0 (high speed)
£	Supported operating systems	Windows 10 / 8.1 / 7 (32-bit, 64-bit) Mac OSX 10.9 or later

LCD Screen

	Display	AHVA display
	Cover glass surface	Tempered anti-glare etched glass
\bigoplus	Screen dimensions	8.8 x 5.0 inches (223 x 126 mm)
	Aspect ratio	16:9
***	Native resolution	Full HD, 1,920 x 1,080 pixels
X ⊅	Supported resolutions	800x600, 1366x768, 1024x768, 1280x800, 1440x900, 1920x1080
\triangleleft	Viewing angles (horizontal/vertical)	170° / 170°
-,\\-	Luminance (brightness)	200 cd/m2 (typical)
	Contrast ratio	1000:1 (typical)
\bigcirc	Response time	N/A
\$	Colours	16.7M colors

W∂COM® for Business

Tablet and Pen

	Technology	Electromagenetic Resonance (EMR)
	Coordinate resolution	2540 lpi or 0.01 mm/pt
•	Coordinate accuracy	±0.02 inch / ±0.5 mm (center)
	Report rate	200 points per sec. (non interpolated)
	Pressure levels	1024
	Security lock slot	Yes
P	Encryption	AES 256 / RSA 2048
	Data security	Real time signature capture without internal pad memory

Miscellaneous

•	Reading height	5 mm or more (center)
	Pen storage	Integrated pen compartment, pen holder
	Mounting system	VESA 75 mm
\$	Signature software compatability	Compatible with signature / E-signing software and Wacom sign pro PDF, C++, .NET and Java SDK/API available for developers
(D)®	Drivers	Wacom driver and DisplayLink driver required
	Package content	DTU-1141B, Pen, USB cable, quick start guide, pen tether, 5 extra pen nibs, nib removal tool, 4 VESA mounting screws, USB plug attachment

Energy efficiency class and information for COMMISSION REGULATION (EU) 2019/2013



More human





Japan (HQ)

For more information please contact: Wacom Co., Ltd. · Sumitomo Fudosan Shinjuku Grand Tower 31F, 35F, 8-17-1 Nishi-Shinjuku, Shinjuku-ku, Tokyo 160-6131, Japan vm-info@wacom.co.jp · 03-5337-6706



Americas

For more information please contact / Pour de plus amples informations, veuillez contacte / Para obtener información adicional, póngase en contacto con: Wacom Technology Corporation · 1455 NW Irving Street, Suite 800 | Portland, OR 97209 USA esign@wacom.com · 1-503-525-3100



Europe, Middle East and Africa

For more information please contact / Pour de plus amples informations, veuillez contacte / Para obtener información adicional, póngase en contacto con: Wacom Europe GmbH · Völklinger Straße 1, 40219 Düsseldorf, Germany solutions@wacom.eu · +49 211 385 48 0



For more information please contact:

Chine

Wacom China Corporation · 518, West Wing Office, China World Trade Center, No. 1 Jianguomenwai Avenue, Chaoyang District, Beijing 100004, China WW@wacom.com · 400-810-5460

Hong Kong

For more information please contact:

Wacom Hong Kong Ltd. · Unit 1610, 16/F, Exchange Tower, 33 Wang Chiu Road
Kowloon Bay, Hong Kong
e-signature@wacom.com · +852 2573 9322



Australia

For more information please contact:

Wacom Australia Pty. Ltd. · Ground floor, Building 1, 3 Richardson Place,
North Ryde, NSW, 2113, Australia

Contactapbs@Wacom.com · +61 2 9422 6730

Korea

For more information please contact:

Wacom Korea Co., Ltd. · Rm #1211, 12F, KGIT Sangam Center, 402 Worldcup
Bukro, Mapo-gu, Seoul 03925, Korea

Contactapbs@Wacom.com · 080-800-1231

Singapore

For more information please contact: Wacom Singapore Pte. Ltd. \cdot 5 Temasek Boulevard, #12-09, Suntec Tower Five, Singapore 038985, Contactapbs@Wacom.com \cdot (503) 525-3100

India

For more information please contact:

Wacom India Pvt. Ltd. · 426, Tower B, DLF Building Jasola District Centre,

Mathura Road, New Delhi 110025 India, Contactapbs@Wacom.com

Customer Support: 000-800-100-4159, +91-11-47239412

wacom.com/for-business

© 2021 Wacom Co., Ltd.